

Understanding Pain after Dental Procedures - POPS

NIDCR Protocol Number: 19-073-E

NIDCR Grant Number: 1 UG3 DE029158-01

Principal Investigator: Muhammad Walji, PhD

NIDCR Program Official: Dena Fischer, DDS, MSD, MS

NIDCR Medical Monitor: Kevin McBryde, MD

POPS Study Practitioner Questionnaires

Version Number: 3.0

Mar 29, 2022

1. eCRF Day 0 (Baseline Data to be collected on the day of the procedure)

Provider Identifier (autogenerated by NCC data capture system)

Did you receive a message from FollowApp.Care that this patient is enrolled? Yes No

If Yes: On what date did you receive this message: MM/DD/YYYY

What procedure(s) did you perform?

- 1) Endodontics - Surgery
 - a) Site (tooth #, quadrant, etc.) - indicate on odontogram
 - b) CDT (click all that apply):
 - i) D3410: apicoectomy - anterior
 - ii) D3421: apicoectomy - premolar (first root)
 - iii) D3425: Apicoectomy - molar (first root)
 - iv) D3426: Apicoectomy (each additional root)
 - v) D3428: bone graft in conjunction with periradicular surgery – per tooth, single site
 - vi) D3429: bone graft in conjunction with periradicular surgery – each additional contiguous tooth in the same surgical site
 - vii) D3430: retrograde filling - per root
 - viii) D3431: biologic materials to aid in soft and osseous tissue regeneration in conjunction with periradicular surgery
 - ix) D3432: guided tissue regeneration, resorbable barrier, per site, in conjunction with periradicular surgery
 - x) D3450: root amputation – per root
 - xi) D3460: endodontic endosseous implant
 - xii) D3470: intentional re-implantation (including necessary splinting)
 - xiii) D3910: surgical procedure for isolation of tooth with rubber dam
 - xiv) D3920: hemisection (including any root removal), not including root canal therapy
 - xv) D3950: canal preparation and fitting of preformed dowel or post
 - xvi) D3999: unspecified endodontic procedure, by report
 - c) Date: MM/DD/YYYY
 - d) Related diagnoses (click all that apply)
 - i) Symptomatic reversible pulpitis
 - ii) Symptomatic irreversible pulpitis
 - iii) Necrosis of the pulp
 - iv) Previously completed endodontic therapy

- v) Acute apical abscess
 - vi) Chronic apical abscess
 - vii) Internal resorption of tooth
 - viii) External resorption of tooth
 - ix) Symptomatic periapical periodontitis
 - x) Asymptomatic periapical periodontitis
 - xi) Obliteration of root canal due to abnormal mineralization of tooth
 - xii) Other: Add text
- 2) Endodontics - Pulp Treatment (e.g. Pulpotomy, Pulpectomy)
- a) Site (tooth #, quadrant, etc.) – indicate on odontogram
 - b) CDT (click all that apply):
 - i) D3220: therapeutic pulpotomy (excluding final restoration) – removal of pulp coronal to the dentinocemental junction and application of medicament
 - ii) D3221: pulpal debridement, primary and permanent teeth
 - iii) D3222: partial pulpotomy for apexogenesis – permanent tooth with incomplete root development
 - iv) D3230: pulpal therapy (resorbable filling) – anterior, primary tooth (excluding final restoration)
 - v) D3240: pulpal therapy (resorbable filling) – posterior, primary tooth (excluding final restoration)
 - c) Date: MM/DD /YYYY
 - d) Related diagnoses
 - i) Symptomatic reversible pulpitis
 - ii) Symptomatic irreversible pulpitis
 - iii) Necrosis of the pulp
 - iv) Previously completed endodontic therapy
 - v) Acute apical abscess
 - vi) Chronic apical abscess
 - vii) Internal resorption of tooth
 - viii) External resorption of tooth
 - ix) Symptomatic periapical periodontitis
 - x) Asymptomatic periapical periodontitis
 - xi) Obliteration of root canal due to abnormal mineralization of tooth
 - xii) Tooth fracture with pulp involvement
 - xiii) Other: Add text
- 3) Endodontics – Non-Surgical (e.g. RCT, Re-treat, Apexification)
- a) Site (tooth #, quadrant, etc.) – indicate on odontogram
 - b) CDT (click all that apply):
 - i) D3310: endodontic therapy, anterior tooth (excluding final restoration)

- ii) D3320: endodontic therapy, premolar tooth (excluding final restoration)
 - iii) D3330: endodontic therapy, molar tooth (excluding final restoration)
 - iv) D3331: treatment of root canal obstruction; non-surgical access
 - v) D3332: incomplete endodontic therapy; inoperable, unrestorable or fractured tooth
 - vi) D3333: internal root repair of perforation defects
 - vii) D3346: retreatment of previous root canal therapy – anterior
 - viii) D3347: retreatment of previous root canal therapy – premolar
 - ix) D3348: retreatment of previous root canal therapy – molar
 - x) D3351: apexification/recalcification – initial visit (apical closure/calcific repair of perforations, root resorption, etc.)
 - xi) D3352: apexification/recalcification – interim medication replacement
 - xii) D3353: apexification/recalcification – final visit (includes completed root canal therapy – apical closure/calcific repair of perforations, root resorption, etc.)
- c) Date: MM/DD /YYYY
- d) Related diagnoses
- i) Symptomatic reversible pulpitis
 - ii) Symptomatic irreversible pulpitis
 - iii) Necrosis of the pulp
 - iv) Previously completed endodontic therapy
 - v) Acute apical abscess
 - vi) Chronic apical abscess
 - vii) Internal resorption of tooth
 - viii) External resorption of tooth
 - ix) Symptomatic periapical periodontitis
 - x) Asymptomatic periapical periodontitis
 - xi) Obliteration of root canal due to abnormal mineralization of tooth
 - xii) Other: Add text
- 4) Perio - Surgical
- a) Site (tooth #, quadrant, etc.) – indicate on odontogram
 - b) CDT (click all that apply):
 - i. D4210: gingivectomy or gingivoplasty – four or more contiguous teeth or tooth bounded spaces per quadrant
 - ii. D4211: gingivectomy or gingivoplasty – one to three contiguous teeth or tooth bounded spaces per quadrant
 - iii. D4212: gingivectomy or gingivoplasty to allow access for restorative procedure, per tooth
 - iv. D4230: anatomical crown exposure – four or more contiguous teeth or bounded tooth spaces per quadrant
 - v. D4231: anatomical crown exposure – one to three teeth or bounded

- vi. tooth spaces per quadrant
- vi. D4240: gingival flap procedure, including root planing – four or more contiguous teeth or tooth bounded spaces per quadrant
- vii. D4241: gingival flap procedure, including root planing – one to three contiguous teeth or tooth bounded spaces per quadrant
- viii. D4245: apically positioned flap
- ix. D4249: clinical crown lengthening – hard tissue
- x. D4260: osseous surgery (including elevation of a full thickness flap and closure) – four or more contiguous teeth or tooth bounded spaces per quadrant
- xi. D4261: osseous surgery (including elevation of a full thickness flap and closure) – one to three contiguous teeth or tooth bounded spaces per quadrant
- xii. D4263: bone replacement graft – retained natural tooth – first site
- xiii. in quadrant
- xiv. D4264: bone replacement graft – retained natural tooth – each additional site in quadrant
- xv. D4266: guided tissue regeneration – resorbable barrier, per site
- xvi. D4267: guided tissue regeneration – non-resorbable barrier, per site (includes membrane removal)
- xvii. D4268: surgical revision procedure, per tooth
- xviii. D4270: pedicle soft tissue graft procedure
- xix. D4273: autogenous connective tissue graft procedure (including donor and recipient surgical sites) first tooth, implant or edentulous tooth position in graft
- xx. D4275: non-autogenous connective tissue graft (including recipient site and donor material) first tooth, implant, or edentulous tooth position in graft
- xxi. D4276: combined connective tissue and double pedicle graft, per tooth
- xxii. D4277: free soft tissue graft procedure (including recipient and donor surgical sites) first tooth, implant, or edentulous tooth position in graft
- xxiii. D4278: free soft tissue graft procedure (including recipient and donor surgical sites) each additional contiguous tooth, implant, or edentulous tooth position in same graft site
- xxiv. D4283: autogenous connective tissue graft procedure (including donor and recipient surgical sites) – each additional contiguous tooth, implant or edentulous tooth position in same graft site
- xxv. D4285: non-autogenous connective tissue graft procedure (including recipient surgical site and donor material) – each additional contiguous tooth, implant or edentulous tooth position in same graft site

c) Date: MM/DD/YYYY

d) Related diagnoses

- i) Localized Periodontitis
- ii) Generalized Periodontitis
- iii) Gingival abscess
- iv) Periodontal abscess
- v) Periodontal and endodontic lesion
- vi) Insufficient clinical crown height
- vii) Dental peri-implant mucositis
- viii) Dental peri-implantitis
- ix) Other: Add text

5) Extractions - Simple

- a) Site (tooth #, quadrant, etc.) – indicate on odontogram
- b) CDT (click all that apply):
 - i) D7111: extraction, coronal remnants – primary tooth
 - ii) D7140: extraction, erupted tooth or exposed root (elevation and/or forceps removal)
- c) Date: MM/DD/YYYY
- d) Related diagnoses
 - i) Abnormalities of size and form of teeth
 - ii) Tooth crowding
 - iii) Tooth eruption disorder
 - iv) Non-restorable carious tooth
 - v) Periodontitis
 - vi) Fracture of tooth
 - vii) Pericoronitis
 - viii) Other: Add text

6) Extractions - Surgical

- a) Site (tooth #, quadrant, etc.) – indicate on odontogram
- b) CDT (click all that apply):
 - i) D7210: extraction, erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated
 - ii) D7220: removal of impacted tooth – soft tissue
 - iii) D7230: removal of impacted tooth – partially bony
 - iv) D7240: removal of impacted tooth – completely bony
 - v) D7241: removal of impacted tooth – completely bony, with unusual surgical complications
 - vi) D7250: removal of residual tooth roots (cutting procedure)
 - vii) D7251: coronectomy – intentional partial tooth removal
- c) Date: MM/DD/YYYY
- d) Related diagnoses
 - i) Retained dental root

- ii) Non-restorable carious tooth
- iii) Pulp necrosis
- iv) Symptomatic periapical periodontitis
- v) Chronic apical abscess
- vi) Tooth crowding
- vii) Fracture of tooth
- viii) Impacted tooth
- ix) Pericoronitis
- x) Other: Add text

7) Implants - Surgical Procedures

- a) Site (tooth #, quadrant, etc.) – indicate on odontogram
- b) CDT (click all that apply):
 - i) D6010: surgical placement of implant body: endosteal implant
 - ii) D6011: surgical access to an implant body (second stage implant surgery)
 - iii) D6012: surgical placement of interim implant body for transitional prosthesis: endosteal implant
 - iv) D6013: surgical placement of mini implant
 - v) D6040: surgical placement: eosteal implant
 - vi) D6050: surgical placement: transosteal implant
 - vii) D6100: implant removal, by report
 - viii) D6101: debridement of a peri-implant defect or defects surrounding a single implant, and surface cleaning of the exposed implant surfaces, including flap entry and closure
 - ix) D6102: debridement and osseous contouring of a peri-implant defect or defects surrounding a single implant and includes surface cleaning of the exposed implant surfaces, including flap entry and closure
 - x) D6103: bone graft for repair of peri-implant defect – does not include flap entry and closure
 - xi) D6104: bone graft at time of implant placement
 - xii) D6081: scaling and debridement in the presence of inflammation or mucositis of a single implant, including cleaning of the implant surfaces, without flap entry and closure
- c) Date: MM/DD/YYYY
- d) Related diagnoses
 - i) Dental peri-implant mucositis
 - ii) Dental peri-implantitis
 - iii) Failure of osseointegration of dental implant
 - iv) Acquired absence of teeth
 - v) Other: Add text

8) Oral Surgery Other

- a) Site (tooth #, quadrant, etc.) – indicate on odontogram
- b) CDT (click all that apply):
- i) D7260: oroantral fistula closure
 - ii) D7261: primary closure of a sinus perforation
 - iii) D7270: tooth re-implantation and/or stabilization of accidentally evulsed or displaced tooth
 - iv) D7272: tooth transplantation (includes re-implantation from one site
 - v) to another and splinting and/or stabilization)
 - vi) D7280: exposure of an unerupted tooth
 - vii) D7282: mobilization of erupted or malpositioned tooth to aid eruption
 - viii) D7283: placement of device to facilitate eruption of impacted tooth
 - ix) D7285: incisional biopsy of oral tissue – hard (bone, tooth)
 - x) D7286: incisional biopsy of oral tissue – soft
 - xi) D7290: surgical repositioning of teeth
 - xii) D7291: transeptal fiberotomy/supra crestal fiberotomy, by report
 - xiii) D7292: placement of temporary anchorage device [screw retained plate] requiring flap
 - xiv) D7298: removal of temporary anchorage device [screw retained plate], requiring flap
 - xv) D7293: placement of temporary anchorage device requiring flap
 - xvi) D7299: removal of temporary anchorage device, requiring flap
 - xvii) D7294: placement of temporary anchorage device without flap; includes device removal
 - xviii) D7300: removal of temporary anchorage device without flap
 - xix) D7295: harvest of bone for use in autogenous grafting procedure
 - xx) D7296: corticotomy – one to three teeth or tooth spaces, per quadrant
 - xxi) D7297: corticotomy – four or more teeth or tooth spaces, per quadrant
 - xxii) D7310: alveoloplasty in conjunction with extractions – four or more teeth or tooth spaces, per quadrant
 - xxiii) D7311: alveoloplasty in conjunction with extractions – one to three teeth or tooth spaces, per quadrant
 - xxiv) D7320: alveoloplasty not in conjunction with extractions – four or more teeth or tooth spaces, per quadrant
 - xxv) D7321: alveoloplasty not in conjunction with extractions – one to three teeth or tooth spaces, per quadrant
 - xxvi) D7340: vestibuloplasty – ridge extension (secondary epithelialization)
 - xxvii) D7350: vestibuloplasty – ridge extension (including soft tissue grafts, muscle reattachment, revision of soft tissue attachment and management of hypertrophied and hyperplastic tissue)
 - xxviii) D7410: excision of benign lesion up to 1.25 cm
 - xxix) D7411: excision of benign lesion greater than 1.25 cm
 - xxx) D7412: excision of benign lesion, complicated

- xxxi) D7413: excision of malignant lesion up to 1.25 cm
- xxxii) D7414: excision of malignant lesion greater than 1.25 cm
- xxxiii) D7415: excision of malignant lesion, complicated
- xxxiv) D7440: excision of malignant tumor – lesion diameter up to 1.25 cm
- xxxv) D7441: excision of malignant tumor – lesion diameter greater than 1.25 cm
- xxxvi) D7450: removal of benign odontogenic cyst or tumor – lesion diameter up to 1.25 cm
- xxxvii) D7451: removal of benign odontogenic cyst or tumor – lesion diameter greater than 1.25 cm
- xxxviii) D7460: removal of benign nonodontogenic cyst or tumor – lesion diameter up to 1.25 cm
- xxxix) D7461: removal of benign nonodontogenic cyst or tumor – lesion diameter greater than 1.25 cm
- xl) D7465: destruction of lesion(s) by physical or chemical method, by report
- xli) D7471: removal of lateral exostosis (maxilla or mandible)
- xlii) D7472: removal of torus palatinus
- xliii) D7473: removal of torus mandibularis
- xliv) D7485: reduction of osseous tuberosity
- xlv) D7490: radical resection of maxilla or mandible
- xlvi) D7510: incision and drainage of abscess – intraoral soft tissue
- xlvii) D7511: incision and drainage of abscess – intraoral soft tissue – complicated (includes drainage of multiple fascial spaces)
- xlviii) D7520: incision and drainage of abscess – extraoral soft tissue
- xlix) D7521: incision and drainage of abscess – extraoral soft tissue –
 - l) complicated (includes drainage of multiple fascial spaces)
 - li) D7530: removal of foreign body from mucosa, skin, or subcutaneous alveolar tissue
 - lii) D7540: removal of reaction producing foreign bodies, musculoskeletal system
 - liii) D7550: partial osteotomy/sequestrectomy for removal of non-vital bone
 - liv) D7610: maxilla – open reduction (teeth immobilized, if present)
 - lv) D7620: maxilla – closed reduction (teeth immobilized, if present)
 - lvi) D7630: mandible – open reduction (teeth immobilized, if present)
 - lvii) D7640: mandible – closed reduction (teeth immobilized, if present)
 - lviii) D7650: malar and/or zygomatic arch – open reduction
 - lix) D7660: malar and/or zygomatic arch – closed reduction
 - lx) D7670: alveolus – closed reduction, may include stabilization of teeth
 - lxi) D7671: alveolus – open reduction, may include stabilization of teeth
 - lxii) D7680: facial bones – complicated reduction with fixation and multiple surgical approaches
 - lxiii) D7710: maxilla – open reduction
 - lxiv) D7720: maxilla – closed reduction D7730 mandible – open reduction
 - lxv) D7740: mandible – closed reduction

- lxvi) D7750: malar and/or zygomatic arch – open reduction
- lxvii) D7760: malar and/or zygomatic arch – closed reduction
- lxviii) D7770: alveolus – open reduction stabilization of teeth
- lxix) D7771: alveolus, closed reduction stabilization of teeth
- lxx) D7780: facial bones – complicated reduction with fixation and multiple approaches
- lxxi) D7810: open reduction of dislocation
- lxxii) D7820: closed reduction of dislocation
- lxxiii) D7830: manipulation under anesthesia
- lxxiv) D7840: condylectomy
- lxxv) D7850: surgical discectomy, with/without implant
- lxxvi) D7852: disc repair
- lxxvii) D7854: synovectomy
- lxxviii) D7856: myotomy
- lxxix) D7858: joint reconstruction
- lxxx) D7860: arthrotomy
- lxxxi) D7865: arthroplasty
- lxxxii) D7870: arthrocentesis
- lxxxiii) D7871: non-arthroscopic lysis and lavage
- lxxxiv) D7872: arthroscopy – diagnosis, with or without biopsy
- lxxxv) D7873: arthroscopy: lavage and lysis of adhesions
- lxxxvi) D7874: arthroscopy: disc repositioning and stabilization
- lxxxvii) D7875: arthroscopy: synovectomy
- lxxxviii) D7876: arthroscopy: discectomy
- lxxxix) D7877: arthroscopy: debridement
- xc) D7910: suture of recent small wounds up to 5 cm
- xcii) D7911: complicated suture – up to 5 cm
- xciii) D7912: complicated suture – greater than 5 cm
- xciv) D7920: skin graft (identify defect covered, location and type of graft)
- xcv) D7922: placement of intra-socket biological dressing to aid in hemostasis or clot stab
- xcvi) D7941: osteotomy – mandibular rami
- xcvii) D7943: osteotomy – mandibulization, per site
- xcviii) D7944: osteotomy – segmented or subapical
- xcix) D7945: osteotomy – body of mandible
- c) D7946: LeFort I (maxilla – total)
- ci) D7947: LeFort I (maxilla – segmented)
- cii) D7948: LeFort II or LeFort III (osteoplasty of facial bones for midface hypoplasia or retrusion) – without bone graft
- ciii) D7949: LeFort II or LeFort III – with bone graft
- civ) D7950: osseous, osteoperiosteal, or cartilage graft of the mandible or maxilla – autogenous or nonautogenous, by report

- civ) D7951: sinus augmentation with bone or bone substitutes via a lateral open approach
- cv) D795: sinus augmentation via a vertical approach
- cvi) D7953: bone replacement graft for ridge preservation – per site
- cvi) D7955: repair of maxillofacial soft and/or hard tissue defect
- cvi) D7961: buccal / labial frenectomy (frenulectomy)
- cix) D7962: lingual frenectomy (frenulectomy)
- cx) D7963: surgical placement of craniofacial implant – extra oral
- cxi) D7970: excision of hyperplastic tissue – per arch
- cxii) D7971: excision of pericoronal gingiva
- cxiii) DD7972: surgical reduction of fibrous tuberosity
- cxiv) D7979: non – surgical sialolithotomy
- cxv) D7980: surgical sialolithotomy
- cxvi) D7981: excision of salivary gland, by report
- cxvii) D7982: sialodochoplasty
- cxviii) D7983: closure of salivary fistula
- cxix) D7990: emergency tracheotomy
- cxx) D7991: coronoidectomy
- cxxi) D7993: surgical placement of craniofacial implant – extra oral
- cxxii) D7994: surgical placement: zygomatic implant
- cxxiii) D7995: synthetic graft – mandible or facial bones, by report
- cxxiv) D7996: implant-mandible for augmentation purposes (excluding alveolar ridge), by report
- cxxv) D7997: appliance removal (not by dentist who placed appliance), includes removal of archbar
- cxxvi) D7998: intraoral placement of a fixation device not in conjunction with a fracture
- cxxvii) D7999: unspecified oral surgery procedure, by report
- c) Date: MM/DD/YYYY
- d) Related diagnoses
 - i) Fibrous epulis
 - ii) Flabby alveolar ridge
 - iii) Insufficient biological width
 - iv) Exostosis of jaw
 - v) Irregular alveolar process
 - vi) Sequestrum of jawbone
 - vii) Impacted tooth
 - viii) Other: Add text

As part of your pain management plan, what medications were prescribed?
(Select all that apply - checkboxes)

- None

- Acetaminophen (Tylenol)
 - Name
 - Dose
 - Frequency
- Ibuprofen (Advil, Motrin)
 - Name
 - Dose
 - Frequency
- Acetaminophen and Ibuprofen (Advil Dual Action)
 - Name
 - Dose
 - Frequency
- Naproxen (Aleve)
 - Name
 - Dose
 - Frequency
- Opioids (Codeine, Hydrocodone, Oxycodone)
 - Name
 - Dose
 - Frequency
- Combination Drug (Tylenol #3, Norco, Vicodin, Percocet, Percodan, Vicoprofen)
 - Name
 - Dose
 - Frequency
- Antibiotics (Amoxicillin, Penicillin, Clindamycin, Erythromycin)
 - Name
 - Dose
 - Frequency
- Steroid (Medrol)
 - Name
 - Dose
 - Frequency
- Other medications for dental pain
 - Name
 - Dose
 - Frequency

Did the patient receive a long-acting local anesthetic as part of the procedure? (bupivacaine, etidocaine)

- Yes
- No

What do you expect the patient's pain level to be?

- 0 - 10 scale
 - No pain (0) - Moderate pain (5) - Worst imaginable pain (10)
- a. Immediate post-op (Day 1)
- a. Short-term (Day 3 - 5)
- b. Long-term (after the 1st week)

On what day post-procedure do you anticipate the patient will be free of pain?

Day 1-21

2. eCRF Day 21 – Data to be completed 21 days after visit

Did the patient contact your office regarding their procedure within 21 days after the procedure?

If so, was it via:

- No contact
- Phone call
- Email
- Office visit
 - Unscheduled
 - Scheduled

Did you change your pain management plan?

[Display Day 0 Plan]

- No
- Yes (Click all that apply)
 - Due to information received through the app
 - Due to office communication (phone call, email, office visit)
 - Other

If Yes, what were the changes (select all that apply.):

- Stop medications
- Increase medication dosage/frequency
- Decrease medication dosage/frequency
- Switch medications

- o Name
- o Dose
- o Frequency
- Add additional medications
 - o Name
 - o Dose
 - o Frequency
- Other
 - o Free text

3. UTAUT Questionnaire for Practitioners after the study has been completed (via REDCap)

Please rate your agreement with each statement below (Select from 1 to 7, from Strongly Disagree {1} to Strongly Agree {7})

1. I find FollowApp useful in my job.
2. Using FollowApp enables me to accomplish tasks more quickly.
3. Using FollowApp increases my productivity.
4. Using FollowApp will increase my chances of increasing my income
5. My interaction with FollowApp is clear and understandable.
6. It is easy for me to become skillful at using FollowApp.
7. FollowApp is easy to use.
8. Learning to operate FollowApp is easy for me.
9. Using FollowApp is a good idea.
10. FollowApp makes work more interesting.
11. Working with FollowApp is fun.
12. I like working with FollowApp.
13. People who influence my behavior think that I should use FollowApp.
14. People who are important to me think that I should use FollowApp.

15. The clinical management has been helpful in the use of FollowApp.
16. In general, my dental office has supported the use of FollowApp.
17. I have the resources necessary to use FollowApp.
18. I have the knowledge necessary to use FollowApp.
19. FollowApp is not compatible with other systems I use.
20. A specific person (or group) is available for assistance with FollowApp difficulties.
21. I could complete a job or task using FollowApp if there was no one around to tell me what to do as I go.
22. I could complete a job or task using FollowApp if I could call someone for help if I got stuck.
23. I could complete a job or task using FollowApp if I had a lot of time to complete the job for which the software was provided.
24. I could complete a job or task using FollowApp if I had just the built-in help functionality for assistance.
25. I feel apprehensive about using FollowApp.
26. It scares me to think that I could lose a lot of information using FollowApp by hitting the wrong key.
27. I hesitate to use FollowApp for fear of making mistakes I cannot correct.
28. FollowApp is somewhat intimidating to me.
29. If available, I intend to continue using FollowApp.
30. If available, I predict I would continue using FollowApp.
31. If available, I plan to continue using FollowApp.