Supplementary File 1.

Full list of references used in this review as demanded by the journal editorial staff.

1. Curado MP, Johnson NW, Kerr AR, et al. Oral and oropharynx cancer in South America: Incidence, mortality trends and gaps in public databases as presented to the Global Oral Cancer Forum. Transl Res Oral Oncol. 2016; 1: 1–7.
2. Sung H, Ferlay J, Siegel RL, et al. Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. CA Cancer J Clin. 2021 May;71(3):209-249. doi: 10.3322/caac.21660.
3. Rodrigues PC, Miguel MC, Bagordakis E, et al. Clinicopathological prognostic factors of oral tongue squamous cell carcinoma: a retrospective study of 202 cases. Int J Oral Maxillofac Surg. 2014;43(7):795-801. doi: 10.1016/j.ijom.2014.01.014.
4. Dos Santos Costa SF, Brennan PA, Gomez RS, et al. Molecular basis of oral squamous cell carcinoma in young patients: Is it any different from older patients? J Oral Pathol Med. 2018; 47(6): 541-546. doi: 10.1111/jop.12642.
5. Tagliabue M, De Berardinis R, Belloni P, et al. Oral tongue carcinoma: prognostic changes according to the updated 2020 version of the AJCC/UICC TNM staging system. Acta Otorhinolaryngol Ital. 2022;42(2):140-149. doi: 10.14639/0392-100X-N2055.
6. Yoon BC, Bulbul MD, Sadow PM, et al. Comparison of intraoperative sonography and histopathologic evaluation of tumor thickness and depth of invasion in oral tongue cancer: a pilot study. AJNR Am J Neuroradiol. 2020 Jul;41(7):1245-1250. doi: 10.3174/ajnr. A6625.
7. Tricco AC, Lillie E, Zarin W, et al. PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation. Ann Intern Med. 2018 Oct 2;169(7):467-473. doi: 10.7326/M18-0850.

8. Page MJ, McKenzie JE, Bossuyt PM, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. BMJ 2021;372:n71. doi: 10.1136/bmj.n71
9. Wakasugi-Sato N, Kodama M, Matsuo K, et al. Advanced clinical usefulness of ultrasonography for diseases in oral and maxillofacial regions. Int J Dent. 2010; 2010:639382. doi: 10.1155/2010/639382.
10. Sugawara C, Takahashi A, Kawano F, Kudo Y, Ishimaru N, Miyamoto Y. Intraoral ultrasonography of tongue mass lesions. Dentomaxillofac Radiol. 2016;45(5):20150362. doi: 10.1259/dmfr.20150362.
11. Yamamoto C, Yuasa K, Okamura K, Shiraishi T, Miwa K. Vascularity as assessed by Doppler intraoral ultrasound around the invasion front of tongue cancer is a predictor of pathological grade of malignancy and cervical lymph node metastasis. Dentomaxillofac Radiol. 2016;45(3):20150372. doi: 10.1259/dmfr.20150372.
12. Sugiura K, Iwai T, Oguri S, Tohnai I. Intraoral ultrasonography with wrapped acoustic coupling medium. Br J Oral Maxillofac Surg. 2017;55(2):202-204. doi: 10.1016/j.bjoms.2016.07.032.
13. Nair AV, Meera M, Rajamma BM, Anirudh S, Nazer PK, Ramachandran PV. Preoperative ultrasonography for tumor thickness evaluation in guiding management in patients with early oral tongue squamous cell carcinoma. Indian J Radiol Imaging. 2018;28(2):140-145. doi: 10.4103/ijri.IJRI_151_17.
14. Oikawa SI, Shiga K, Saito D, et al. Association between contrast-enhanced ultrasonography and histopathological findings of the metastatic lymph nodes of patients with head and neck cancer: A preliminary study. Oncol Lett. 2018;15(4):4171-4176. doi: 10.3892/ol.2018.7835.

15. Yamane M, Ishii J, Izumo T, Nagasawa T, Amagasa T. Noninvasive quantitative assessment of oral tongue cancer by intraoral ultrasonography. Head Neck. 2007; 29(4): 307-14. doi: 10.1002/hed.20523.

16. Takamura M, Kobayashi T, Nikkuni Y, et al. A comparative study between CT, MRI, and intraoral US for the evaluation of the depth of invasion in early stage (T1/T2) tongue squamous cell carcinoma. Oral Radiol. 2022;38(1):114-125. doi: 10.1007/s11282-021-00533-7.

17. Tarabichi O, Kanumuri V, Juliano AF, et al. Intraoperative ultrasound in oral tongue cancer resection: feasibility study and early outcomes. Otolaryngol Head Neck Surg. 2018;158(4): 645–648

18. Yesuratnam A, Wiesenfeld D, Tsui A, et al. Preoperative evaluation of oral tongue squamous cell carcinoma with intraoral ultrasound and magnetic resonance imaging-comparison with histopathological tumour thickness and accuracy in guiding patient management. Int J Oral Maxillofac Surg. 2014;43(7): 787–794.

19. Nilsson O, Knutsson J, Landström FJ, Magnuson A, von Beckerath M. Ultrasound-assisted resection of oral tongue cancer. Acta Oto-Laryngologica. 2022; 142: 743-748. doi: 10.1080/00016489.2022.2153916

20. de Koning KJ, van Es RJJ, Klijn RJ, et al. Application and accuracy of ultrasound-guided resections of tongue cancer. Oral Oncol. 2022; 133: 106023. doi: 10.1016/j.oraloncology.2022.106023.

21. Shintani S, Yoshihama Y, Ueyama Y, et al. The usefulness of intraoral ultrasonography in the evaluation of oral cancer. Int J Oral Maxillofac Surg. 2001; 30:139-43.

22. Noorlag R, Nulent TJW, Delwel VEJ, et al. Assessment of tumour depth in early tongue cancer: Accuracy of MRI and intraoral ultrasound. Oral Oncol. 2020; 110:104895. doi: 10.1016/j.oraloncology.2020.104895.

23. Caprioli S, Casaleggio A, Tagliafico AS, et al. High-frequency intraoral ultrasound for preoperative assessment of depth of invasion for early tongue squamous cell carcinoma: radiological-pathological correlations. Int J Environ Res Public Health. 2022; 19(22):14900. doi: 10.3390/ijerph192214900.

24. Shinozaki Y, Jinbu Y, Ito H, et al. Relationship between appearance of tongue carcinoma on intraoral ultrasonography and histopathological findings. Oral Surg Oral Med Oral Pathol Oral Radiol. 2014; 117(5):634-639. doi: 10.1016/j.oooo.2014.02.001.

25. To EW, Tsang WM, Cheng J, et al. Is neck ultrasound necessary for early-stage oral tongue carcinoma with clinically N0 neck? Dentomaxillofac Radiol. 2003; 32(3): 156-159. doi: 10.1259/dmfr/20155904.

26. Koning KJ, Koppes SA, de Bree R, et al. Feasibility study of ultrasound-guided resection of tongue cancer with immediate specimen examination to improve margin control - Comparison with conventional treatment. Oral Oncol. 2021; 116: 105249. doi: 10.1016/j.oraloncology.2021.105249.

27. Konishi M, Fujita M, Shimabukuro K, Wongratwanich P, Verdonschot RG, Kakimoto N. Intraoral ultrasonographic features of tongue cancer and the incidence of cervical lymph node metastasis. J Oral Maxillofac Surg. 2021; 79(4): 932-939. doi: 10.1016/j.joms.2020.09.006.

28. Akata D, Aralasmak A, Ozmen MN, Akhan O, Altundağ K, Güllü I. US and CT findings of multicentric leiomyosarcomatosis. Eur Radiol. 1999; 9(4): 711-714. doi: 10.1007/s003300050738.

29. Ariji Y, Fukuda M, Kise Y, et al. A preliminary application of intraoral Doppler ultrasound images to deep learning techniques for predicting late cervical lymph node metastasis in early tongue cancers. Oral Sci Int. 2019; 17(2): 59-66. doi: 10.1002/osi2.1039

30. Ariji Y, Goto M, Fukano H, Sugita Y, Izumi M, Ariji E. Role of intraoral color Doppler sonography in predicting delayed cervical lymph node metastasis in patients with early-stage tongue cancer: a pilot study. Oral Surg Oral Med Oral Pathol Oral Radiol. 2015; 119(2): 246-253. doi: 10.1016/j.oooo.2014.10.021.

31. Au VH, Yoon BC, Juliano A, Sadow PM, Faquin WC, Varvares MA. Correlation of intraoperative ultrasonographic oral tongue shape and border and risk of close margins. Otolaryngol Head Neck Surg. 2023; 168(6): 1576-1579. doi: 10.1002/ohn.217.

32. Baek CH, Son YI, Jeong HS, et al. Intraoral sonography-assisted resection of T1-2 tongue cancer for adequate deep resection. Otolaryngol Head Neck Surg. 2008; 139(6): 805-810. doi: 10.1016/j.otohns.2008.09.017.

33. Bang J, Jung WS, Cho JH. Sonographicdetectionof a metastatic lingual lymph node in a patient with tongue cancer. J Clin Ultrasound. 2020; 48(6): 343-345. doi: 10.1002/jcu.22832.

34. Blanco RG, Califano J, Messing B, et al. Transcervical ultrasonography is feasible to visualize and evaluate base of tongue cancers. PLoS One. 2014; 30: e87565. doi: 10.1371/journal.pone.0087565.

35. Brouwer de Koning SG, Karakullukcu MB, Lange CAH, Schreuder WH, Karssemakers LHE, Ruers TJM. Ultrasound aids in intraoperative assessment of deep resection margins of squamous cell carcinoma of the tongue. Br J Oral Maxillofac Surg. 2020; 58(3): 285-290. doi: 10.1016/j.bjoms.2019.11.013.

36. Bruneton JN, Roux P, Caramella E, Manzino JJ, Vallicioni J, Demard F. Tongue and tonsil cancer: staging with US. Radiology. 1986; 158(3): 743-746. doi: 10.1148/radiology.158.3.3511504.

37. Castaldi A, Arcuri T, Carta M, Quilici P, Derchi LE. Primary leiomyosarcoma of the oral tongue: magnetic resonance and ultrasonography findings with histopathologic correlation. Acta Radiol. 2006; 47(5): 514-517. doi: 10.1080/02841850600647124.

38. Chammas MC, Macedo TAA, Moyses RA, et al. Relationship between the appearance of tongue carcinoma on intraoral ultrasonography and neck metastasis. Oral Radiol. 2011; 27: 1-7. doi: 10.1007/s11282-010-0051-8

39. Choi HG, Jeon EY, Won JY, et al. Transbuccal sonographic evaluation of the local extent of tumors of the tongue with pathological correlation. J Clin Ultrasound. 2014; 43(7): 412-416. doi: 10.1002/jcu.22251.

40. Dhoot NM, Hazarika S, Choudhury B, Kataki AC, Baruah R, Goswami H. Evaluation of tongue cancer using high-resolution sonography: comparison with magnetic resonance imaging. J Ultrasound Med. 2014; 34(9): 1537-1546. doi: 10.7863/ultra.15.14.09001.

41. Guo H, Qi W, He M, Rong J, Xi L. Co-registered photoacoustic and ultrasound imaging for tongue cancer detection. J Innovative Opt Health Sci. 2018; 11(3). doi: 10.1142/S1793545818500086.

42. Gvetadze SR, Xiong P, Lv M, et al. Contrast-enhanced ultrasound mapping of sentinel lymph nodes in oral tongue cancer-a pilot study. Dentomaxillofac Radiol. 2017; 46(3): 20160345. doi: 10.1259/dmfr.20160345.

43. Huang J, Wu SS, Zheng S, Gao H, Wu ZY, Xu JW. Trans-lymphatic contrast-enhanced ultrasound with sentinel lymph node biopsy for detecting cervical skip

metastasis to lymph nodes in early-stage oral tongue squamous cell carcinoma. Dentomaxillofac Radiol. 2022; 51(2): 20210107. doi: 10.1259/dmfr.20210107.

44. Iida Y, Kamijo T, Kusafuka K, et al Depth of invasion in superficial oral tongue carcinoma quantified using intraoral ultrasonography. Laryngoscope. 2018; 128(12): 2778-2782. doi: 10.1002/lary.27305.

45. Kaneoya A, Hasegawa S, Tanaka Y, Omura K. Quantitative analysis of invasive front in tongue cancer using ultrasonography. J Oral Maxillofac Surg. 2009; 67(1): 40-46. doi: 10.1016/j.joms.2007.08.006.

46. Kimura Y, Ariji Y, Gotoh M, et al. Doppler sonography of the deep lingual artery. Acta Radiol. 2001; 42(3): 306-311. doi: 10.1080/028418501127346693.

47. Konishi M, Sakamoto S, Ogawa I, Yoshioka Y, Ono S, Kakimoto N. Relationships between intraoral ultrasonographic and histopathological findings in patients with tongue cancer. Head Neck. 2021; 43(9): 2778-2785. doi: 10.1002/hed.26763.

48. Kumar T, Patel MD. Pattern of lymphatic metastasis in relation to the depth of tumor in oral tongue cancers: a clinico pathological correlation. Indian J Otolaryngol Head Neck Surg. 2013; 65(Suppl 1): 59-63. doi: 10.1007/s12070-012-0504-y.

49. Mattalitti SFO, Kawazu T, Kawano S, Ikari T, Wada H, Yoshiura K. Estimation of prognosis of tongue cancer using tumor depth and margin shape obtained from ultrasonography. Oral Radiol. 2017; 33: 101-107. doi: 10.1007/s11282-016-0251-y

50. Meng N, Zhang X, Liao A, et al. Management of recurrent alveolar soft-part sarcoma of the tongue after external beam radiotherapy with iodine-125 seed brachytherapy. Head Neck. 2014; 36(12): E125-E128. doi: 10.1002/hed.23648.

51. Natori T, Koga M, Anegawa E, et al. Usefulness of intra-oral ultrasonography to predict neck metastasis in patients with tongue carcinoma. Oral Dis. 2008; 14(7): 591-599. doi: 10.1111/j.1601-0825.2007.01423.x.

52. Nilsson O, Knutsson J, Landström FJ, Magnuson A, von Beckerath M. Ultrasound accurately assesses depth of invasion in T1-T2 oral tongue cancer. Laryngoscope Investig Otolaryngol. 2022; 7(5): 1448-1455. doi: 10.1002/lio2.897.

53. Nishio N, Fujimoto Y, Hiramatsu M, Yamamoto Y, Sone M. Sonographic detection of a lingual node metastasis from early squamous cell cancer of the tongue. J Clin Ultrasound. 2018; 46(1): 69-72. doi: 10.1002/jcu.22486.

54. Reeder A, Aulet R, Sajisevi M, Brundage W. Feasibility of In-office Fine-Needle Aspiration for Base of Tongue Tumors. Otolaryngol Head Neck Surg. 2020; 163(4): 849-851. doi: 10.1177/0194599820935454.

55. Shibata M, Ishikawa A, Ishii J, et al. Stiffness of tongue squamous cell carcinoma measured using strain elastography correlates with the amount of collagen fibers in the tumor. Oral Radiol. 2021; 38(2): 278-287. doi: 10.1007/s11282-021-00556-0.

56. Shintani S, Nakayama B, Matsuura H, Hasegawa Y. Intraoral ultrasonography is useful to evaluate tumor thickness in tongue carcinoma. Am J Surg. 1997; 173(4): 345-347. doi: 10.1016/S0002-9610(96)00395-9.

57. Takashima S, Ikezoe J, Harada K, et al. Tongue cancer: correlation of MR imaging and sonography with pathology. AJNR Am J Neuroradiol. 1989; 10(2): 419-424.

58. Wagner JM, Conrad RD, Cannon TY, Alleman AM. Ultrasound-guided transcutaneous needle biopsy of the base of the tongue and floor of the mouth from a submental approach. J Ultrasound Med. 2016; 35(5): 1009-1013. doi: 10.7863/ultra.15.06004.

59. Yang J, Guo W, Huang R, Xu Z, Zhou C, Lu M. Ultrasound-guided microwave ablation in the treatment of early-stage tongue cancer. Front Oncol. 2022; 12: 950228. doi: 10.3389/fonc.2022.950228.

60. Kawano S, Hattori T, Mikami Y, et al. Prediction of nodal metastasis based on intraoral sonographic findings of the primary lesion in early-stage tongue cancer. Int J Oral Maxillofac Surg. 2023; 52(5): 515-523. doi: 10.1016/j.ijom.2022.08.021.

61. Iida Y, Kamijo T, Kusafuka K, et al. Depth of invasion in superficial oral tongue carcinoma quantified using intraoral ultrasonography. Laryngoscope. 2018; 128(12): 2778-2782. doi: 10.1002/lary.27305.

62. Byers RM, El-Naggar AK, Lee YY, et al. Can we detect or predict the presence of occult nodal metastases in patients with squamous carcinoma of the oral tongue? Head Neck. 1998; 20(2): 138-144. doi: 10.1002/(sici)1097-0347(199803)20:2<138::aid-hed7>3.0.co;2-3.