

Table S1: Full breakdown of publications obtained from the literature review and used in the analysis, including sample size and study location for home range studies.

Reference	Article type	Species	Sample size	Study location
Acharya (1992)	Supplementary species information	<i>Epomophorus wahlbergi</i>	-	-
Acharya et al. (2015)	Home range study	<i>Eonycteris spelaea</i>	16	Thailand, Asia
Aguiar et al. (2014)	Home range study	<i>Glossophaga soricina</i>	2	Brazil, South America
		<i>Lonchophylla dekeyseri</i>	3	
Ahmad-Bakri et al. (2021)	Home range study	<i>Scotophilus kuhlii</i>	10	Malaysia, Asia
Alberdi and Aizpurua (2018)	Supplementary species information	<i>Plecotus macrobullaris</i>	-	-
Albrecht et al. (2007)	Home range study	<i>Dermanura watsoni</i>	5	Panama, North America
		<i>Micronycteris microtis</i>	3	
Alvarez et al. (1991)	Supplementary species information	<i>Glossophaga soricina</i>	-	-
Amelon et al. (2014)	Home range study	<i>Lasiurus borealis</i>	63	USA, North America
Ancillotto et al. (2018)	Home range study	<i>Hypsugo savii</i>	12	Italy, Europe
Ancillotto et al. (2022)	Home range study	<i>Plecotus auritus</i>	15	Italy, Europe
Andrianaivoarivelo et al. (2011)	Home range study	<i>Rousettus madagascariensis</i>	2	Madagascar, Africa
Apoznański et al. (2018)	Home range study	<i>Barbastella barbastellus</i>	6	Sweden, Europe
Arrizabalaga-Escudero et al. (2014)	Home range study	<i>Myotis bechsteinii</i>	9	Spain, Europe
Ashrafi et al. (2013)	Home range study	<i>Plecotus auritus</i>	8	Switzerland, Europe
		<i>Plecotus austriacus</i>	8	
		<i>Plecotus macrobullaris</i>	8	
Aspetsberger et al. (2003)	Supplementary species information	<i>Mops pumilus</i>	-	-
Bernard and Fenton (2003)	Home range study	<i>Carollia brevicauda</i>	2	Brazil, South America
		<i>Dermanura cinerea</i>	1	
		<i>Gardnerycteris crenulatum</i>	2	
		<i>Lophostoma silvicola</i>	3	
		<i>Noctilio albiventris</i>	4	
		<i>Tonatia saurophila</i>	1	

Bhartiy and Elangovan (2021)	Supplementary species information	<i>Scotophilus kuhlii</i>	-	-
Boardman et al. (2021)	Home range study	<i>Pteropus poliocephalus</i>	3	Australia, Oceania
Bonaccorso et al. (2002)	Home range study	<i>Dobsonia minor</i>	12	Papua New Guinea, Oceania
Bonaccorso et al. (2005)	Home range study	<i>Melonycteris melanops</i>	14	Papua New Guinea, Oceania
Bonaccorso et al. (2007)	Home range study	<i>Carollia castanea</i>	13	Ecuador, South America
		<i>Carollia perspicillata</i>	3	
Bonaccorso et al. (2014)	Home range study	<i>Epomophorus wahlbergi</i>	17	South Africa, Africa
Bonaccorso et al. (2015)	Home range study	<i>Lasiurus cinereus semotus</i>	28	USA, North America
Bontadina et al. (2002)	Home range study	<i>Rhinolophus hipposideros</i>	4	Wales, Europe
Bouchard (1998)	Supplementary species information	<i>Mops pumilus</i>	-	-
Buckley et al. (2012)	Home range study	<i>Myotis mystacinus</i>	13	Ireland, Europe
Caceres and Barclay (2000)	Supplementary species information	<i>Myotis septentrionalis</i>	-	-
Carter and Riskin (2006)	Supplementary species information	<i>Mystacina tuberculata</i>	-	-
Chambers et al. (2011)	Home range study	<i>Euderma maculatum</i>	4	USA, North America
Chaverri and Kunz (2006)	Supplementary species information	<i>Dermanura watsoni</i>	-	-
Chung et al. (2010)	Home range study	<i>Pipistrellus abramus</i>	6	South Korea, Asia
Chung et al. (2011)	Supplementary species information	<i>Pipistrellus abramus</i>	-	-
Chung et al. (2013)	Home range study	<i>Myotis davidii</i>	3	South Korea, Asia
Cloutier and Thomas (1992)	Supplementary species information	<i>Carollia perspicillata</i>	-	-
Conenna et al. (2019)	Home range study	<i>Lavia frons</i>	22	Kenya, Africa
Cornes (2005)	Home range study	<i>Barbastella barbastellus</i>	5	England, Europe
Cramer et al. (2001)	Supplementary species information	<i>Trachops cirrhosus</i>	-	-
Csada (1996)	Supplementary species information	<i>Cardioderma cor</i>	-	-
Dalhousi et al. (2018)	Supplementary species information	<i>Pipistrellus kuhlii</i>	-	-

Decher and Choate (1995)	Supplementary species information	<i>Myotis grisescens</i>	-	-
DeFrees and Wilson (1988)	Supplementary species information	<i>Eidolon helvum</i>	-	-
Dietz and Pir (2009)	Supplementary species information	<i>Myotis bechstinii</i>	-	-
Dietz et al. (2013)	Home range study	<i>Rhinolophus ferrumequinum</i>	14	Luxembourg, Europe
		<i>Myotis emarginatus</i>	12	
Downs et al. (2016)	Home range study	<i>Rhinolophus hipposideros</i>	15	England, Europe
Estók et al. (2007)	Supplementary species information	<i>Nyctalus lasiopterus</i>	-	-
Fahr et al. (2015)	Home range study	<i>Eidolon helvum</i>	16	Ghana, Africa
Farneda et al. (2020)	Supplementary species information	Multiple species	-	-
Flanders and Jones (2009)	Home range study	<i>Rhinolophus ferrumequinum</i>	12	United Kingdom, Europe
Frafjord (2013)	Home range study	<i>Eptesicus nilssonii</i>	13	Norway, Europe
Fenton et al. (2000)	Supplementary species information	<i>Sturnira lilium</i>	-	-
García-García et al. (2014)	Supplementary species information	<i>Dermanura watsoni</i>	-	-
		<i>Glossophaga commissarisi</i>	-	-
Garin et al. (2019)	Supplementary species information	<i>Hypsugo savii</i>	-	-
		<i>Miniopterus schreibersii</i>	-	-
Goiti et al. (2006)	Home range study	<i>Rhinolophus euryale</i>	44	Spain, Europe
Goiti et al. (2008)	Supplementary species information	<i>Rhinolophus euryale</i>	-	-
Goiti et al. (2011)	Home range study	<i>Myotis emarginatus</i>	6	Spain, Europe
Gray et al. (1999)	Supplementary species information	<i>Nycteris thebaica</i>	-	-
Harrison (1975)	Supplementary species information	<i>Macrophyllum macrophyllum</i>	-	-
Haupt et al. (2006)	Home range study	<i>Eptesicus nilssonii</i>	14	Germany, Europe
Henry and Kalko (2007)	Home range study	<i>Rhinophylla pumilio</i>	11	French Guiana, South America
Hillen and Veith (2013)	Home range study	<i>Barbastella barbastellus</i>	4	Germany, Europe
		<i>Myotis bechsteini</i>	7	
		<i>Plecotus auritus</i>	4	

Hillen et al. (2009)	Home range study	<i>Barbastella barbastellus</i>	12	Germany, Europe
Hillen et al. (2011)	Home range study	<i>Barbastella barbastellus</i>	5	Germany, Europe
Hiryu et al. (2008)	Supplementary species information	<i>Pipistrellus abramus</i>	-	-
Hood and Pitocchelli (1983)	Supplementary species information	<i>Noctilio albiventris</i>	-	-
Hurst and Lacki (1999)	Home range study	<i>Corynorhinus rafinesquii</i>	5	USA, North America
Ibáñez et al. (2001)	Supplementary species information	<i>Nyctalus lasiopterus</i>	-	-
Jacobs (1996)	Supplementary species information	<i>Lasiurus cinereus semotus</i>	-	-
Jeon et al. (2018)	Home range study	<i>Rhinolophus ferrumequinum</i>	16	South Korea, Asia
Johnson et al. (2019)	Supplementary species information	<i>Corynorhinus rafinesquii</i>	-	-
Jones (1977)	Supplementary species information	<i>Corynorhinus rafinesquii</i>	-	-
Jones and Rayner (1989)	Supplementary species information	<i>Rhinolophus ferrumequinum</i>	-	-
Jones et al. (2017)	Home range study	<i>Trachops cirrhosus</i>	6	Panama, North America
Kalka and Kalko (2006)	Supplementary species information	<i>Micronycteris microtis</i>	-	-
Kalko et al. (1998)	Supplementary species information	<i>Noctilio albiventris</i>	-	-
Kirkpatrick et al. (2018)	Home range study	<i>Pipistrellus pygmaeus</i>	11	Scotland, Europe
Kurek et al. (2020)	Home range study	<i>Myotis mystacinus</i>	21	Poland, Europe
Langevin and Barclay (1990)	Supplementary species information	<i>Hypsignathus monstrosus</i>	-	-
Law and Lean (1999)	Home range study	<i>Syconycteris australis</i>	10	Australia, Oceania
Lindhe Norberg et al. (2000)	Supplementary species information	<i>Pteropus rufus</i>	-	-
Liu et al. (2017)	Home range study	<i>Cynopterus sphinx</i>	3	China, Asia
Loayza and Loiselle (2008)	Home range study	<i>Sturnira lilium</i>	4	Bolivia, South America
Lundy et al. (2012)	Home range study	<i>Myotis nattereri</i>	16	Ireland, Europe
Mandl et al. (2022)	Home range study	<i>Pteropus livingstonii</i>	2	Comoros, Africa

McKenzie et al. (1995)	Supplementary species information	<i>Miniopterus schreibersii</i>	-	-
Medellin (1989)	Supplementary species information	<i>Scotophilus kuhlii</i>	-	-
Medellin and Arita (1989)	Supplementary species information	<i>Chrotopterus auritus</i>	-	-
Medellin and Wilson (1985)	Supplementary species information	<i>Lophostoma silvicolum</i>	-	-
Menzel et al. (2005)	Home range study	<i>Lamproncycteris brachyotis</i>	-	-
Meyer et al. (2005)	Home range study	<i>Myotis sodalis</i>	11	USA, North America
Monadjem et al. (2009)	Home range study	<i>Macrophyllum macrophyllum</i>	9	Panama, North America
Monadjem et al. (2020)	Supplementary species information	<i>Nycteris thebaica</i>	18	eSwatini, Africa
Moore et al. (2017)	Home range study	Multiple species	-	-
Morris et al. (2011)	Home range study	<i>Myotis grisescens</i>	42	USA, North America
Nad'o et al. (2019)	Home range study	<i>Nyctieceius humeralis</i>	14	USA, North America
Nakamoto et al. (2012)	Home range study	<i>Nyctalus lasiopterus</i>	3	Slovakia, Europe
Nicholls and Racey (2006)	Supplementary species information	<i>Pteropus dasymallus inopinatus</i>	19	Japan, Asia
Nkrumah et al. (2016a)	Home range study	<i>Pipistrellus pygmaeus</i>	-	-
Nkrumah et al. (2016b)	Supplementary species information	<i>Hipposideros aff. ruber</i>	13	Ghana, Africa
Noer et al. (2012)	Home range study	<i>Hipposideros aff. ruber</i>	-	-
Norberg and Fenton (1988)	Supplementary species information	<i>Mops pumilus</i>	5	eSwatini, Africa
Norberg and Rayner (1987)	Supplementary species information	<i>Mops condylurus</i>	9	
Oleksy et al. (2015)	Home range study	<i>Cardioderma cor</i>	-	-
Olson et al. (2019)	Home range study	Multiple species	-	-
Owen et al. (2003)	Home range study	<i>Pteropus rufus</i>	15	Madagascar, Africa
Preatoni et al. (2011)	Home range study	<i>Hypsignathus monstrosus</i>	5	Democratic Republic of Congo, Africa
Ralisata et al. (2010)	Home range study	<i>Myotis septentrionalis</i>	9	USA, North America
Ramasindrazana et al (2009)	Supplementary species information	<i>Plecotus macrobullaris</i>	12	Italy, Europe
		<i>Myzopoda aurita</i>	18	Madagascar, Africa
		<i>Myzopoda aurita</i>	-	-

Randhawa et al. (2020)	Home range study	<i>Eidolon helvum</i>	19	Tanzania, Africa
Reiter et al. (2013)	Home range study	<i>Rhinolophus hipposideros</i>	14	Austria, Europe
Rinehart and Kunz (2006)	Supplementary species information	<i>Rhinophylla pumilio</i>	-	-
Ripperger et al. (2015)	Home range study	<i>Dermanura watsoni</i>	16	Costa Rica, North America
Robinson and Stebbings (1997)	Home range study	<i>Eptesicus serotinus</i>	34	England, Europe
Rodriguez-Pinto et al. (2022)	Home range study	<i>Amorphochilus schnablii</i>	4	Peru, South America
		<i>Myotis atacamensis</i>	3	
Rothenwoehrer et al. (2011)	Home range study	<i>Glossophaga commissarisi</i>	5	Costa Rica, North America
Russo et al. (2002)	Home range study	<i>Rhinolophus euryale</i>	16	Italy, Europe
Rydell (1993)	Supplementary species information	<i>Eptesicus nilssonii</i>	-	-
Rydell and Bogdanowicz (1997)	Supplementary species information	<i>Barbastella barbastellus</i>	-	-
Scultori et al. (2009)	Supplementary species information	<i>Lamproncycteris brachyotis</i>	-	-
Serangeli et al. (2012)	Home range study	<i>Pipistrellus kuhlii</i>	13	Italy, Europe
Shiel and Fairley (1998)	Supplementary species information	<i>Nyctalus leisleri</i>	-	-
Shiel et al. (1999)	Supplementary species information	<i>Nyctalus leisleri</i>	-	-
Shump and Shump (1982)	Supplementary species information	<i>Lasiurus borealis</i>	-	-
Smarsh et al. (2022)	Home range study	<i>Cardioderma cor</i>	14	Tanzania, Africa
Smirnov et al. (2021)	Home range study	<i>Eptesicus nilssonii</i>	16	Russia, Asia
Smith and Leslie (2006)	Supplementary species information	<i>Pteropus livingstonii</i>	-	-
Smith and Racey (2008)	Home range study	<i>Myotis nattereri</i>	35	England and Wales, Europe
Stoffberg and Jacobs (2004)	Supplementary species information	<i>Myotis septentrionalis</i>	-	-
Storz and Kunz (1999)	Supplementary species information	<i>Cynopterus sphinx</i>	-	-
Swift and Racey (2002)	Supplementary species information	<i>Myotis nattereri</i>	-	-
Tang et al. (2010)	Home range study	<i>Rousettus leschenaulti</i>	3	China, Asia

Thies et al. (2006)	Supplementary species information	<i>Carollia castanea</i>	-	-
Thomson (1982)	Supplementary species information	<i>Myotis sodalis</i>	-	-
Threlfall et al. (2013a)	Home range study	<i>Nyctophilus gouldi</i>	12	Australia, Oceania
Threlfall et al. (2013b)	Supplementary species information	<i>Nyctophilus gouldi</i>	-	-
Timm (1982)	Supplementary species information	<i>Ecotphylla alba</i>	-	-
Timm (1985)	Supplementary species information	<i>Dermanura phaeotis</i>	-	-
Timm (1987)	Supplementary species information	<i>Dermanura phaeotis</i>	-	-
Todd et al. (2022)	Home range study	<i>Pteropus melanotus natalis</i>	24	Australia, Oceania
Toth et al. (2015)	Home range study	<i>Mystacina tuberculata</i>	18	New Zealand, Oceania
Trevelin et al. (2013)	Home range study	<i>Artibeus lituratus</i>	10	Brazil, South America
Uhrin et al. (2021)	Home range study	<i>Rhinolophus euryale</i>	23	Slovakia, Europe
Vaughan (1976)	Supplementary species information	<i>Cardioderma cor</i>	-	-
Vaughan and Vaughan (1986)	Supplementary species information	<i>Lavia frons</i>	-	-
Villalobos-Chaves et al. (2016)	Home range study	<i>Uroderma convexum</i>	7	Costa Rica, North America
Villalobos-Chaves et al. (2017)	Home range study	<i>Ectophylla alba</i>	9	Costa Rica, North America
Villalobos-Chaves et al. (2020)	Home range study	<i>Dermanura phaeotis</i>	5	Costa Rica, North America
Vincent et al. (2011)	Home range study	<i>Miniopterus schreibersii</i>	19	France, Europe
Vincenot et al. (2017)	Supplementary species information	<i>Pteropus dasymallus opinatus</i>	-	-
Vleut et al. (2019)	Home range study	<i>Chrotopterus auritus</i>	10	Mexico, North America
Vonhof and Kalcounis (1999)	Supplementary species information	<i>Lavia frons</i>	-	-
Wai-Ping and Fenton (1989)	Supplementary species information	<i>Euderma maculatum</i>	-	-
Walters et al. (2007)	Home range study	<i>Lasiurus borealis</i>	13	USA, North America
Waters et al. (1999)	Home range study	<i>Nyctalus leisleri</i>	8	England, Europe

Watkins (1972)	Supplementary species information	<i>Nycticeius humeralis</i>	-	-
Watkins (1977)	Supplementary species information	<i>Euderma maculatum</i>	-	-
Weber et al. (2009)	Home range study	<i>Megaloglossus azagnyi</i>	4	Benin, Africa
Webster and Jones (1993)	Supplementary species information	<i>Glossophaga commissarisi</i>	-	-
Weinbeer and Kalko (2004)	Home range study	<i>Lamproncycteris brachyotis</i>	9	Panama, North America
Weinbeer et al. (2006)	Supplementary species information	<i>Macrophyllum macrophyllum</i>	-	-
Weiwei et al. (2014)	Supplementary species information	<i>Pipistrellus abramus</i>	-	-
Winkelmann et al. (2000)	Home range study	<i>Syconycteris australis</i>	11	Papua New Guinea, Oceania
Winkelmann et al. (2003)	Home range study	<i>Macroglossus minimus</i>	18	Papua New Guinea, Oceania
Womack et al. (2013a)	Home range study	<i>Myotis sodalis</i>	25	USA, North America
Womack et al. (2013b)	Supplementary species information	<i>Myotis sodalis</i>	-	-
Zhao et al. (2022)	Home range study	<i>Eonycteris spelaea</i>	13	China, Asia
Zhu et al. (2012)	Supplementary species information	<i>Scotophilus kuhlii</i>	-	-

References

- Acharya L. 1992. *Epomophorus wahlbergi*. Mammalian species: 1-4.
- Acharya P.R., Racey P.A., Sothibandhu S., Bumrungsri S. 2015. Home-range and foraging areas of the dawn bat *Eonycteris spelaea* in agricultural areas of Thailand. *Acta Chiropterologica* 17: 307-319.
- Aguiar L.M.S., Bernard E., Machado R.B. 2014. Habitat use and movements of *Glossophaga soricina* and *Lonchophylla dekeyseri* (Chiroptera: Phyllostomidae) in a Neotropical savannah. *Zoologia* 31: 223-229.
- Ahmad-Bakri F.A., Abd-Rahman N.A., Ahmad Z.A.M., Maryati M., Abu-Bakar M.F. (2021). Activity pattern of *Scotophilus kuhlii* at agriculture and urban landscape area in Tasik Chini and Universiti Kebangsaan Malaysia.
- Alberdi A., Aizpurua O. 2018. *Plecotus macrobullaris* (Chiroptera: Vespertilionidae). *Mammalian species* 50: 26-33.
- Albrecht L., Meyer C.F.J., Kalko E.K.V. 2007. Differential mobility in two small phyllostomid bats, *Artibeus watsoni* and *Micronycteris microtis*, in a fragmented neotropical landscape. *Acta Theriologica* 52: 141-149.
- Alvarez J., Willig M.R., Jones J.K., Webster W. 1991. *Glossophaga soricina*. Mammalian species: 1-7.
- Amelon S.K., Thompson F.R., III, Millspaugh J.J. 2014. Resource Utilization by Foraging Eastern Red Bats (*Lasiurus borealis*) in the Ozark Region of Missouri. *Journal of Wildlife Management* 78: 483-493.
- Ancillotto L., Budinski I., Nardone V., Di Salvo I., Della Corte M., Bosso L., Conti P., Russo D. 2018. What is driving range expansion in a common bat? Hints from thermoregulation and habitat selection. *Behavioural processes* 157: 540-546.
- Ancillotto L., Palmieri A., Canfora C., Nastasi C., Bosso L., Russo D. 2022. Spatial responses of long-eared bats *Plecotus auritus* to forestry practices: Implications for forest management in protected areas. *Forest Ecology and Management* 506.
- Andrianaivoarivelo R.A., Ramilijaona O.R., Racey P.A., Razafindrakoto N., Jenkins R.K.B. 2011. Feeding ecology, habitat use and reproduction of *Rousettus madagascariensis* Grandidier, 1928 (Chiroptera: Pteropodidae) in eastern Madagascar. *Mammalia* 75: 69-78.
- Apoznański G., Sánchez-Navarro S., Kokurewicz T., Pettersson S., Rydell J. 2018. Barbastelle bats in a wind farm: are they at risk? *European Journal of Wildlife Research* 64.
- Arrizabalaga-Escudero A., Napal M., Aihartza J., Garin I., Alberdi A., Salsamendi E. 2014. Can pinewoods provide habitat for a deciduous forest specialist? A two-scale approach to the habitat selection of Bechstein's bat. *Mammalian Biology* 79: 117-122.
- Ashrafi S., Rutishauser M., Ecker K., Obrist M.K., Arlettaz R., Bontadina F. 2013. Habitat selection of three cryptic *Plecotus* bat species in the European Alps reveals contrasting implications for conservation. *Biodiversity and conservation* 22: 2751-2766.
- Aspetsberger F., Brandsen D., Jacobs D. 2003. Geographic variation in the morphology, echolocation and diet of the little free-tailed bat, *Chaerephon pumilus* (Molossidae). *African Zoology* 38: 245-254.
- Bernard E., Fenton M.B. 2003. Bat Mobility and Roosts in a Fragmented Landscape in Central Amazonia, Brazil. *Biotropica* 35: 262-277.
- Bhartiy S.K., Elangovan V. 2021. Seasonal prey availability and diet composition of lesser Asiatic yellow house bat *Scotophilus kuhlii* Leach, 1821. *Journal of Threatened Taxa* 13: 19002-19010.

- Boardman W.S.J., Roshier D., Reardon T., Burbidge K., McKeown A., Westcott D.A., Caraguel C.G.B., Prowse T.A.A. 2021. Spring foraging movements of an urban population of grey-headed flying foxes (*Pteropus poliocephalus*). *Journal of Urban Ecology* 7: 1 - 10.
- Bonaccorso F.J., Todd C.M., Miles A.C., Gorresen P.M. 2015. Foraging range movements of the endangered Hawaiian hoary bat, *Lasiurus cinereus semotus* (Chiroptera: Vespertilionidae). *Journal of Mammalogy* 96: 64-71.
- Bonaccorso F.J., Winkelmann J.R., Byrnes D.G.P. 2005. Home range, territoriality, and flight time budgets in the black-bellied fruit bat, *Melonycteris melanops* (Pteropodidae). *Journal of Mammalogy* 86: 931-936.
- Bonaccorso F.J., Winkelmann J.R., Dumont E.R., Thibault K. 2002. Home range of *Dobsonia minor* (Pteropodidae): A solitary, foliage-roosting fruit bat in Papua New Guinea. *Biotropica* 34: 127-135.
- Bonaccorso F.J., Winkelmann J.R., Shin D., Agrawal C.I., Aslami N., Bonney C., Hsu A., Jekielek P.E., Knox A.K., Kopach S.J. et al. 2007. Evidence for exploitative competition: Comparative foraging behavior and roosting ecology of short-tailed fruit bats (Phyllostomidae). *Biotropica* 39: 249-256.
- Bonaccorso F.J., Winkelmann J.R., Todd C.M., Miles A.C. 2014. Foraging movements of epauletted fruit bats (Pteropodidae) in relation to the distribution of sycamore figs (Moraceae) in Kruger National Park, South Africa. *Acta Chiropterologica* 16: 41-52.
- Bontadina F., Schofield H., Naef-Daenzer B. 2002. Radio-tracking reveals that lesser horseshoe bats (*Rhinolophus hipposideros*) forage in woodland. *Journal of Zoology* 258: 281-290.
- Bouchard S. 1998. *Chaerephon pumilus*. *Mammalian species*: 1-6.
- Buckley D.J., Lundy M.G., Boston E.S.M., Scott D.D., Gager Y., Proedohl P., Marnell F., Montgomery W.I., Teeling E.C. 2013. The spatial ecology of the whiskered bat (*Myotis mystacinus*) at the western extreme of its range provides evidence of regional adaptation. *Mammalian Biology* 78: 198-204.
- Caceres M.C., Barclay R.M. 2000. *Myotis septentrionalis*. *Mammalian species* 2000: 1-4.
- Carter G.G., Riskin D.K. 2006. *Mystacina tuberculata*. *Mammalian species* 2006: 1-8.
- Chambers C.L., Herder M.J., Yasuda K., Mikesic D.G., Dewhurst S.M., Masters W.M., Vleck D. 2011. Roosts and home ranges of spotted bats (*Euderma maculatum*) in northern Arizona. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 89: 1256-1267.
- Chaverri G., Kunz T.H. 2006. Roosting Ecology of the Tent-Roosting Bat *Artibeus watsoni* (Chiroptera: Phyllostomidae) in Southwestern Costa Rica. *Biotropica: The Journal of Biology and Conservation* 38: 77-84.
- Chung C.-U., Han S.-H., Lee C.-I. 2010. Home-range analysis of Pipistrelle Bat (*Pipistrellus abramus*) in non-reproductive season by using radio-tracking. *Korean Journal of Environment and Ecology* 24: 487-492.
- Chung C.U., Han S.H., Kim S.D., Lim C.W., Kim S.C., Kim C.Y., Lee H.J., Kwon Y.H., Kim Y.C., Lee C.I. 2011. Home-ranges of female *Pipistrellus abramus* (Chiroptera: Vespertilionidae) in different reproductive stages revealed by radio-telemetry. *Korean Journal of Environment and Ecology* 25: 1-9.
- Chung C.U., Kim S.C., Han S.H. 2013. Diurnal roosts selection and home range size in the *Myotis aurascens* (Chiroptera: Vespertilionidae) inhabiting a rural area. *Journal of Environmental Science International* 22: 1227-1234.
- Cloutier D., Thomas D.W. 1992. *Carollia perspicillata*. *Mammalian species*: 1-9.
- Conenna I., López-Baucells A., Rocha R., Ripperger S., Cabeza M. 2019. Movement seasonality in a desert-dwelling bat revealed by miniature GPS loggers. *Movement ecology* 7: 1-10.
- Cornes B. 2005. Barbastelle radiotracking in 2005. *Beds Nat* 60: 22-28.

- Cramer M.J., Willig M.R., Jones C. 2001. *Trachops cirrhosus*. Mammalian species 2001: 1-6.
- Csada R. 1996. *Cardioderma cor*. Mammalian species: 1-4.
- Dalhousi R., Morellet N., Aissa P., Aulagnier S. 2018. Seasonal activity pattern and habitat use by the Kuhl's pipistrelle (*Pipistrellus kuhlii*) in an arid environment. European Journal of Wildlife Research 64: 1-12.
- Decher J., Choate J.R. 1995. *Myotis grisescens*. Mammalian species: 1-7.
- DeFrees S.L., Wilson D.E. 1988. *Eidolon helvum*. Mammalian species: 1-5.
- Dietz M., Pir J.B. 2009. Distribution and habitat selection of *Myotis bechsteinii* in Luxembourg: implications for forest management and conservation. Folia Zoologica 58: 327.
- Dietz M., Pir J.B., Hillen J. 2013. Does the survival of greater horseshoe bats and Geoffroy's bats in Western Europe depend on traditional cultural landscapes? Biodiversity and conservation 22: 3007-3025.
- Downs N.C., Cresswell W.J., Reason P., Sutton G., Wells D., Williams L., Wray S. 2016. Activity patterns and use of night roosts by lesser horseshoe bats *Rhinolophus hipposideros* (Borkhausen, 1797). Acta Chiropterologica 18: 223-237.
- Estok P., Gombkötő P., Cserkesz T. 2007. Roosting behaviour of the greater noctule *Nyctalus lasiopterus* Schreber, 1780 (Chiroptera, Vespertilionidae) in Hungary as revealed by radio-tracking. Mammalia 71: 86-88.
- Fahr J., Abedi-Lartey M., Esch T., Machwitz M., Suu-Ire R., Wikelski M., Dechmann D.K.N. 2015. Pronounced seasonal changes in the movement ecology of a highly gregarious central-place forager, the African straw-coloured fruit bat (*Eidolon helvum*). PloS one 10.
- Farneda F.Z., Grelle C.E., Rocha R., Ferreira D.F., López-Baucells A., Meyer C.F. 2020. Predicting biodiversity loss in island and countryside ecosystems through the lens of taxonomic and functional biogeography. Ecography 43: 97-106.
- Fenton M., Vonhof M., Bouchard S., Gill S., Johnston D., Reid F., Riskin D., Standing K., Taylor J., Wagner R. 2000. Roosts used by *Sturnira lilium* (Chiroptera: Phyllostomidae) in Belize. Biotropica 32: 729-733.
- Flanders J., Jones G. 2009. Roost use, ranging behavior, and diet of greater horseshoe bats (*Rhinolophus ferrumequinum*) using a transitional roost. Journal of Mammalogy 90: 888-896.
- Frafjord K. 2013. Influence of night length on home range size in the northern bat *Eptesicus nilssonii*. Mammalian Biology 78: 205-211.
- García-García J.L., Santos-Moreno A., Kraker-Castañeda C. 2014. Ecological traits of phyllostomid bats associated with sensitivity to tropical forest fragmentation in Los Chimalapas, Mexico. Tropical Conservation Science 7: 457-474.
- Garin I., Aihartza J., Goiti U., Arrizabalaga-Escudero A., Noguera J., Ibáñez C. 2019. Bats from different foraging guilds prey upon the pine processionary moth. PeerJ 7: e7169.
- Goiti U., Aihartza J., Guiu M., Salsamendi E., Almenar D., Napal M., Garin I. 2011. Geoffroy's bat, *Myotis emarginatus*, preys preferentially on spiders in multistratified dense habitats: a study of foraging bats in the Mediterranean. Folia Zoologica 60: 17-24.
- Goiti U., Aihartza J.R., Almenar D., Salsamendi E., Garin I. 2006. Seasonal foraging by *Rhinolophus euryale* (Rhinolophidae) in an Atlantic rural landscape in northern Iberian Peninsula. Acta Chiropterologica 8: 141-155.
- Goiti U., Garin I., Almenar D., Salsamendi E., Aihartza J. 2008. Foraging by Mediterranean horseshoe bats (*Rhinolophus euryale*) in relation to prey distribution and edge habitat. Journal of Mammalogy 89: 493-502.
- Gray P.A., Fenton M.B., Van Cakenberghe V. 1999. *Nycteris thebaica*. Mammalian species: 1-8.
- Harrison D.L. 1975. *Macrophyllum macrophyllum*. Mammalian species: 1-3.

- Haupt M., Menzler S., Schmidt S. 2006. Flexibility of habitat use in *Eptesicus nilssonii*: does the species profit from anthropogenically altered habitats? *Journal of Mammalogy* 87: 351-361.
- Henry M., Kalko E.K.V. 2007. Foraging strategy and breeding constraints of *Rhinophylla pumilio* (Phyllostomidae) in the Amazon lowlands. *Journal of Mammalogy* 88: 81-93.
- Hillen J., Kaster T., Pahle J., Kiefer A., Elle O., Griebeler E.M., Veith M. 2011. Sex-specific habitat selection in an edge habitat specialist, the western barbastelle bat. *Annales Zoologici Fennici* 48: 180-190.
- Hillen J., Kiefer A., Veith M. 2009. Foraging site fidelity shapes the spatial organisation of a population of female western barbastelle bats. *Biological Conservation* 142: 817-823.
- Hillen J., Veith M. 2013. Resource partitioning in three syntopic forest-dwelling European bat species (Chiroptera: Vespertilionidae). *Mammalia* 77: 71-80.
- Hiryu S., Hagino T., Fujioka E., Riquimaroux H., Watanabe Y. 2008. Adaptive echolocation sounds of insectivorous bats, *Pipistrellus abramus*, during foraging flights in the field. *The Journal of the Acoustical Society of America* 124: EL51-EL56.
- Hood C.S., Pitocchelli J. 1983. *Noctilio albiventris*. *Mammalian species*: 1-5.
- Hurst T.E., Lacki M.J. 1999. Roost selection, population size and habitat use by a colony of Rafinesque's big-eared bats (*Corynorhinus rafinesquii*). *The American Midland Naturalist* 142: 363-371.
- Ibáñez C., Juste J., García-Mudarra J.L., Agirre-Mendi P.T. 2001. Bat predation on nocturnally migrating birds. *Proceedings of the National Academy of Sciences* 98: 9700-9702.
- Jacobs D. 1996. Morphological divergence in an insular bat, *Lasiurus cinereus semotus*. *Functional Ecology*: 622-630.
- Jeon Y.S., Kim S.C., Han S.H., Chung C.U. 2018. Characteristics of the home range and habitat use of the greater horseshoe bat (*Rhinolophus ferrumequinum*) in an urban landscape. *Journal of Environmental Science International* 27: 665-675.
- Johnson J.S., Lacki M.J., Fulton S.A. 2019. Foraging patterns of Rafinesque's big-eared bat in upland forests managed with prescribed fire. *Journal of Mammalogy* 100: 500-509.
- Jones C. 1977. *Plecotus rafinesquii*. *Mammalian species*: 1-4.
- Jones G., Rayner J. 1989. Foraging behavior and echolocation of wild horseshoe bats *Rhinolophus ferrumequinum* and *R. hipposideros* (Chiroptera, Rhinolophidae). *Behavioral Ecology and Sociobiology* 25: 183-191.
- Jones P.L., Haemisch F., Page R.A., Kalko E.K.V., O'Mara M.T. 2017. Foraging and roosting behaviour of the fringe-lipped bat, *Trachops cirrhosus*, on Barro Colorado Island, Panama. *Acta Chiropterologica* 19: 337-346.
- Kalka M., Kalko E.K. 2006. Gleaning bats as underestimated predators of herbivorous insects: diet of *Micronycteris microtis* (Phyllostomidae) in Panama. *Journal of Tropical Ecology* 22: 1-10.
- Kalko E.K., Schnitzler H.-U., Kaipf I., Grinnell A.D. 1998. Echolocation and foraging behavior of the lesser bulldog bat, *Noctilio albiventris*: preadaptations for piscivory? *Behavioral Ecology and Sociobiology* 42: 305-319.
- Kirkpatrick L., Graham J., McGregor S., Munro L., Scoarize M., Park K. 2018. Flexible foraging strategies in *Pipistrellus pygmaeus* in response to abundant but ephemeral prey. *PloS one* 13.
- Kurek K., Gewartowska O., Tolkacz K., Jedrzejewska B., Myslajek R.W. 2020. Home range size, habitat selection and roost use by the whiskered bat (*Myotis mystacinus*) in human-dominated montane landscapes. *PloS one* 15.
- Langevin P., Barclay R.M. 1990. *Hypsignathus monstrosus*. *Mammalian species*: 1-4.

- Law B.S., Lean M. 1999. Common blossom bats (*Syconycteris australis*) as pollinators in fragmented Australian tropical rainforest. *Biological conservation* 91: 201-212.
- Lindhe-Norberg U., Brooke A.P., Trehwella W.J. 2000. Soaring and non-soaring bats of the family Pteropodidae (flying foxes, *Pteropus* spp.): wing morphology and flight performance. *Journal of Experimental Biology* 203: 651-664.
- Liu H., He X.-Y., Liu Q., Kan H.-P., Zhang Q., Wong K.-C., Zhi S.-Y., Liang J., Peng Z., Sun Y.-X. et al. 2017. Radio-tracking studies on foraging areas of short-nosed fruit bats *Cynopterus sphinx* in Macau. *Chinese Journal of Zoology* 52: 373-380.
- Loayza A.P., Loiselle B.A. 2008. Preliminary information on the home range and movement patterns of *Sturnira lilium* (Phyllostomidae) in a naturally fragmented landscape in Bolivia. *Biotropica* 40: 630-635.
- Lundy M.G., Buckley D.J., Boston E.S.M., Scott D.D., Prodoehl P.A., Marnell F., Teeling E.C., Montgomery W.I. 2012. Behavioural context of multi-scale species distribution models assessed by radio-tracking. *Basic and Applied Ecology* 13: 188-195.
- Mandl I., Houmadi A., Said I., Abdou B., Fardane A.-K., Egger-Peitler K., Oleksy R., Doulton H., Chaihane S. 2022. Using GPS tracking for fruit bat conservation. *Oryx* 56: 50-53.
- McKenzie N., Gunnell A., Yani M., Williams M. 1995. Correspondence between flight morphology and foraging ecology in some palaeotropical bats. *Australian Journal of Zoology* 43: 241-257.
- Medellín R.A. 1989. *Chrotopterus auritus*. *Mammalian species*: 1-5.
- Medellín R.A., Arita H.T. 1989. *Tonatia evotis* and *Tonatia silvicola*. *Mammalian species* 334.
- Medellin R.A., Wilson D.E. 1985. *Micronycteris brachyotis*. *Mammalian species*: 1-4.
- Menzel J.M., Ford W.M., Menzel M.A., Carter T.C., Gardner J.E., Garner J.D., Hofmann J.E. 2005. Summer habitat use and home-range analysis of the endangered Indiana bat. *Journal of Wildlife Management* 69: 430-436.
- Meyer C.F.J., Weinbeer M., Kalko E.K.V. 2005. Home-range size and spacing patterns of *Macrophyllum macrophyllum* (Phyllostomidae) foraging over water. *Journal of Mammalogy* 86: 587-598.
- Monadjem A., Reside A., Cornut J., Perrin M.R. 2009. Roost selection and home range of an African insectivorous bat *Nycteris thebaica* (Chiroptera, Nycteridae). *Mammalia* 73: 353-359.
- Monadjem A., Taylor P.J., Schoeman M.C. 2020. *Bats of southern and central Africa: a biogeographic and taxonomic synthesis*. Wits University Press.
- Moore P.R., Risch T.S., Morris D.K., Rolland V. 2017. Habitat use of female gray bats assessed using aerial telemetry. *Journal of Wildlife Management* 81: 1242-1253.
- Morris A.D., Miller D.A., Conner L.M. 2011. Home-range size of evening bats (*Nycticeius humeralis*) in southwestern Georgia. *Southeastern Naturalist* 10: 85-94.
- Nad'o L., Lobbova D., Hapl E., Cel'uch M., Uhrin M., Sara M., Kanuch P. 2019. Highly selective roosting of the giant noctule bat and its astonishing foraging activity by GPS tracking in a mountain environment. *Mammal Research* 64: 587-594.
- Nakamoto A., Kinjo K., Izawa M. 2012. Ranging patterns and habitat use of a solitary flying fox (*Pteropus dasymallus*) on Okinawa-jima Island, Japan. *Acta Chiropterologica* 14: 387-399.
- Nicholls B., Racey P.A. 2006. Contrasting home-range size and spatial partitioning in cryptic and sympatric pipistrelle bats. *Behavioral Ecology and Sociobiology* 61: 131-142.
- Nkrumah E.E., Vallo P., Klose S.M., Ripperger S., Badu E.K., Drosten C., Kalko E.K.V., Tschapka M., Oppong S.K. 2016a. Home range of Noack's round-leaf bat (*Hipposideros aff. ruber*) in an agricultural landscape of central Ghana. *Acta Chiropterologica* 18: 239-247.

- Nkrumah E.E., Vallo P., Klose S.M., Ripperger S.P., Badu E.K., Gloza-Rausch F., Drosten C., Kalko E.K.V., Tschapka M., Oppong S.K. 2016b. Foraging behavior and habitat selection of Noack's round-leaf bat (*Hipposideros aff. ruber*) and conservation implications. *Tropical Conservation Science* 9.
- Noer C.L., Dabelsteen T., Bohmann K., Monadiem A. 2012. Molossid bats in an African agro-ecosystem select sugarcane fields as foraging habitat. *African Zoology* 47: 1-11.
- Norberg U.M., Fenton M.B. 1988. Carnivorous bats? *Biological Journal of the Linnean Society* 33: 383-394.
- Norberg U.M., Rayner J.M. 1987. Ecological morphology and flight in bats (Mammalia; Chiroptera): wing adaptations, flight performance, foraging strategy and echolocation. *Philosophical Transactions of the Royal Society of London. B, Biological Sciences* 316: 335-427.
- Oleksy R., Racey P.A., Jones G. 2015. High-resolution GPS tracking reveals habitat selection and the potential for long-distance seed dispersal by Madagascan flying foxes *Pteropus rufus*. *Global Ecology and Conservation* 3: 678-692.
- Olson S.H., Bounga G., Ondzie A., Bushmaker T., Seifert S.N., Kuisma E., Taylor D.W., Munster V.J., Walzer C. 2019. Lek-associated movement of a putative Ebolavirus reservoir, the hammer-headed fruit bat (*Hypsignathus monstrosus*), in northern Republic of Congo. *PloS one* 14.
- Owen S.F., Menzel M.A., Ford W.M., Chapman B.R., Miller K.V., Edwards J.W., Wood P.B. 2003. Home-range size and habitat used by the northern myotis (*Myotis septentrionalis*). *American Midland Naturalist* 150: 352-359.
- Preatoni D.G., Spada M., Wauters L.A., Tosi G., Martinoli A. 2011. Habitat use in the female Alpine long-eared bat (*Plecotus macrotullaris*): does breeding make the difference? *Acta Chiropterologica* 13: 355-364.
- Ralisata M., Andriamboavonjy F., Rakotondravony D., Ravoahangimalala O., Randrianandrianina F., Racey P. 2010. Monastic Myzopoda: the foraging and roosting ecology of a sexually segregated Malagasy endemic bat. *Journal of Zoology* 282: 130-139.
- Ramasindrazana B., Rajemison B., Goodman S.M. 2009. The diet of the endemic bat *Myzopoda aurita* (Myzopodidae) based on fecal analysis. *African Journal of Ecology* 45: 645-660.
- Randhawa N., Bird B.H., VanWormer E., Sijali Z., Kilonzo C., Msigwa A., Ekiri A.B., Samson A., Epstein J.H., Wolking D.J. 2020. Fruit bats in flight: a look into the movements of the ecologically important *Eidolon helvum* in Tanzania. *One health outlook* 2: 1-14.
- Reiter G., Poelzer E., Mixanig H., Bontadina F., Huettmeir U. 2013. Impact of landscape fragmentation on a specialised woodland bat, *Rhinolophus hipposideros*. *Mammalian Biology* 78: 283-289.
- Rinehart J.B., Kunz T.H. 2006. *Rhinophylla pumilio*. *Mammalian species* 2006: 1-5.
- Ripperger S.P., Kalko E.K.V., Rodriguez-Herrera B., Mayer F., Tschapka M. 2015. Frugivorous bats maintain functional habitat connectivity in agricultural landscapes but rely strongly on natural forest fragments. *PloS one* 10.
- Robinson M.F., Stebbings R.E. 1997. Home range and habitat use by the serotine bat, *Eptesicus serotinus*, in England. *Journal of Zoology* 243: 117-136.
- Rodriguez-Pinto N.I., Diaz D.R., Medina C.E., Villalobos-Chaves D., Morales J.A., Bocardo E.F., Lopez E. 2022. Home range size of bats *Myotis atacamensis* (Vespertilionidae) and *Amorphochilus schnablii* (Furipteridae) in the coastal valleys of southern Peru. *Revista Mexicana de Biodiversidad* 93.
- Rothenwoehrer C., Becker N.I., Tschapka M. 2011. Resource landscape and spatio-temporal activity patterns of a plant-visiting bat in a Costa Rican lowland rainforest. *Journal of Zoology* 283: 108-116.

Russo D., Jones G., Migliozi A. 2002. Habitat selection by the Mediterranean horseshoe bat, *Rhinolophus euryale* (Chiroptera : Rhinolophidae) in a rural area of southern Italy and implications for conservation. *Biological conservation* 107: 71-81.

Rydell J. 1993. *Eptesicus nilssonii*. *Mammalian species*: 1-7.

Rydell J., Bogdanowicz W. 1997. *Barbastella barbastellus*. *Mammalian species*: 1-8.

Scultori C., Dias D., Peracchi A.L. 2009. *Mammalia, Chiroptera, Phyllostomidae, Lamproncycteris brachyotis* (Dobson, 1879): first record in the state of Paraná, southern Brazil. *Check List* 5: 872-875.

Serangeli M.T., Cistrone L., Ancillotto L., Tomassini A., Russo D. 2012. The post-release fate of hand-reared orphaned bats: Survival and habitat selection. *Animal Welfare* 21: 9-18.

Shiel C., Shiel R., Fairley J. 1999. Seasonal changes in the foraging behaviour of Leisler's bats (*Nyctalus leisleri*) in Ireland as revealed by radio-telemetry. *Journal of Zoology* 249: 347-358.

Shiel C.B., Fairley J.S. 1998. Activity of Leisler's bat *Nyctalus leisleri* (Kuhl) in the field in south-east county Wexford, as revealed by a bat detector. *Biology and Environment: Proceedings of the Royal Irish Academy*: 105-112.

Shump K.A., Shump A.U. 1982. *Lasiurus borealis*. *Mammalian species*: 1-6.

Smarsh G.C., Long A.M., Smotherman M. 2022. Singing strategies are linked to perch use on foraging territories in heart-nosed bats. *Ecology and Evolution* 12.

Smirnov D.G., Bezrukov V.A., Kurmaeva N.M. 2021. Use of habitat and foraging time by females of *Eptesicus nilssonii* (Chiroptera, Vespertilionidae). *Russian Journal of Theriology* 20: 1-10.

Smith P.G., Racey P.A. 2008. Natterer's bats prefer foraging in broad-leaved woodlands and river corridors. *Journal of Zoology* 275: 314-322.

Smith S.J., Leslie D.M. 2006. *Pteropus livingstonii*. *Mammalian species* 2006: 1-5.

Stoffberg S., Jacobs D.S. 2004. The influence of wing morphology and echolocation on the gleaning ability of the insectivorous bat *Myotis tricolor*. *Canadian Journal of Zoology* 82: 1854-1863.

Storz J.F., Kunz T.H. 1999. *Cynopterus sphinx*. *Mammalian species* 613: 1-8.

Swift S., Racey P. 2002. Gleaning as a foraging strategy in Natterer's bat *Myotis nattereri*. *Behavioral Ecology and Sociobiology* 52: 408-416.

Tang Z., Chen Z., Ma J., Zhu G., Ma X., Sheng L., Li Y. 2010. Foraging areas of *Rousettus leschenaulti* on the Hainan Island of China. *Current Zoology* 56: 479-484.

Thies W., Kalko E.K., Schnitzler H.-U. 2006. Influence of environment and resource availability on activity patterns of *Carollia castanea* (Phyllostomidae) in Panama. *Journal of Mammalogy* 87: 331-338.

Thomson C.E. 1982. *Myotis sodalis*. *Mammalian species*: 1-5.

Threlfall C., Law B., Banks P. 2013a. The urban matrix and artificial light restricts the nightly ranging behaviour of Gould's long-eared bat (*Nyctophilus gouldi*). *Austral Ecology* 38: 921-930.

Threlfall C.G., Law B., Banks P.B. 2013b. Roost selection in suburban bushland by the urban sensitive bat *Nyctophilus gouldi*. *Journal of Mammalogy* 94: 307-319.

Timm R.M. 1982. *Ectophylla alba*. *Mammalian species*: 1-4.

Timm R.M. 1985. *Artibeus phaeotis*. *Mammalian species*: 1-6.

Timm R.M. 1987. Tent construction by bats of the genera *Artibeus* and *Uroderma*. In, editors. *Field Museum of Natural History*;

Todd C.M., Westcott D.A., Martin J.M., Rose K., McKeown A., Hall J., Welbergen J.A. 2022. Body-size dependent foraging strategies in the Christmas Island flying-fox: implications for seed and pollen dispersal within a threatened island ecosystem. *Movement ecology* 10.

- Toth C.A., Cummings G., Dennis T.E., Parsons S. 2015. Adoption of alternative habitats by a threatened, “obligate” forest-dwelling bat in a fragmented landscape. *Journal of Mammalogy* 96: 927-937.
- Trevelin L.C., Silveira M., Port-Carvalho M., Homem D.H., Cruz-Neto A.P. 2013. Use of space by frugivorous bats (Chiroptera: Phyllostomidae) in a restored Atlantic forest fragment in Brazil. *Forest Ecology and Management* 291: 136-143.
- Uhrin M., Gahurova V., Andreas M., Backor P., Dobry M., Lobbova D., Lucan R.K., Maxinova E., Nad'o L., Sevcik M. et al. 2021. Spatial activity and habitat use of a marginal population of the endangered Mediterranean horseshoe bat (*Rhinolophus euryale*). *Mammal Research* 66: 499-508.
- Vaughan T.A. 1976. Nocturnal behavior of the African false vampire bat (*Cardioderma cor*). *Journal of Mammalogy* 57: 227-248.
- Vaughan T.A., Vaughan R.P. 1986. Seasonality and the behavior of the African yellow-winged bat. *Journal of Mammalogy* 67: 91-102.
- Villalobos-Chaves D., Bonaccorso F.J., Rodríguez-Herrera B., Cordero-Schmidt E., Arias-Aguilar A., Todd C.M. 2016. The influence of sex and reproductive status on foraging behavior and seed dispersal by *Uroderma convexum* (Chiroptera: Phyllostomidae). In, editors. *Sociality in Bats*. 281-301.
- Villalobos-Chaves D., Melo F.P., Rodríguez-Herrera B. 2020. Dispersal patterns of large-seeded plants and the foraging behaviour of a frugivorous bat. *Journal of Tropical Ecology* 36: 94-100.
- Villalobos-Chaves D., Spínola-Parallada M., Heer K., Kalko E.K., Rodríguez-Herrera B. 2017. Implications of a specialized diet for the foraging behavior of the Honduran white bat, *Ectophylla alba* (Chiroptera: Phyllostomidae). *Journal of Mammalogy* 98: 1193-1201.
- Vincenot C.E., Collazo A.M., Russo D. 2017. The Ryukyu flying fox (*Pteropus dasymallus*)—A review of conservation threats and call for reassessment. *Mammalian Biology* 83: 71-77.
- Vincent S., Nemoz M., Aulagnier S. 2011. Activity and foraging habitats of *Miniopterus schreibersii* (Chiroptera, Miniopteridae) in southern France: Implications for its conservation. *Hystrix* 22: 57-72.
- Vleut I., Carter G.G., Medellín R.A. 2019. Movement ecology of the carnivorous woolly false vampire bat (*Chrotopterus auritus*) in southern Mexico. *PloS one* 14.
- Vonhof M.J., Kalcounis M.C. 1999. *Lavia frons*. *Mammalian species* 614: 1-4.
- Wai-Ping V., Fenton M.B. 1989. Ecology of spotted bat (*Euderma maculatum*) roosting and foraging behavior. *Journal of Mammalogy* 70: 617-622.
- Walters B.L., Ritzi C.M., Sparks D.W., Whitaker J.O. 2007. Foraging behavior of eastern red bats (*Lasiurus borealis*) at an urban-rural interface. *The American Midland Naturalist* 157: 365-373.
- Waters D., Jones G., Furlong M. 1999. Foraging ecology of Leisler's bat (*Nyctalus leisleri*) at two sites in southern Britain. *Journal of Zoology* 249: 173-180.
- Watkins L.C. 1972. *Nycticeius humeralis*. *Mammalian species*: 1-4.
- Watkins L.C. 1977. *Euderma maculatum*. *Mammalian species*: 1-4.
- Weber N., Kalko E.K.V., Fahr J. 2009. A first assessment of home range and foraging behaviour of the African long-tongued bat *Megaloglossus woermanni* (Chiroptera: Pteropodidae) in a heterogeneous landscape within the Lama Forest Reserve, Benin. *Acta Chiropterologica* 11: 317-329.
- Webster W., Jones J.K. 1993. *Glossophaga commissarisi*. *Mammalian species*: 1-4.
- Weinbeer M., Kalko E.K.V. 2004. Morphological characteristics predict alternate foraging strategy and microhabitat selection in the orange-bellied bat, *Lamproncycteris brachyotis*. *Journal of Mammalogy* 85: 1116-1123.

- Weinbeer M., Meyer C.F., Kalko E.K. 2006. Activity pattern of the trawling Phyllostomid bat, *Macrophyllum macrophyllum*, in Panamá. *Biotropica: The Journal of Biology and Conservation* 38: 69-76.
- Weiwei S., Li W., Kailiang H., Zhihua L., Libiao Z. 2014. Wing morphology, echolocation calls and emergence time of *Pipistrellus abramus*. *ACTA THERIOLOGICA SINICA* 34: 245.
- Winkelman J.R., Bonaccorso F.J., Goedeke E.E., Ballock L.J. 2003. Home range and territoriality in the least blossom bat, *Macroglossus minimus*, in Papua New Guinea. *Journal of Mammalogy* 84: 561-570.
- Winkelman J.R., Bonaccorso F.J., Strickler T.L. 2000. Home range of the southern blossom bat, *Syconycteris australis*, in Papua New Guinea. *Journal of Mammalogy* 81: 408-414.
- Womack K.M., Amelon S.K., Thompson III F.R. 2013a. Resource selection by Indiana bats during the maternity season. *The Journal of Wildlife Management* 77: 707-715.
- Womack K.M., Amelon S.K., Thompson III F.R. 2013b. Summer home range size of female Indiana bats (*Myotis sodalis*) in Missouri, USA. *Acta Chiropterologica* 15: 423-429.
- Zhao K., Zhang W., Li B., Xie S.Z., Yi F., Jiang R.D., Luo Y., He X.Y., Zhang Y.Z., Shi Z.L. et al. 2022. Ecological study of cave nectar bats reveals low risk of direct transmission of bat viruses to humans. *Zoological research* 43: 514-522.
- Zhu G., Chmura A., Zhang L. 2012. Morphology, echolocation calls and diet of *Scotophilus kuhlii* (Chiroptera: Vespertilionidae) on Hainan Island, south China. *Acta Chiropterologica* 14: 175-181.